intertek
Total Quality. Assured.

NSC-TISI-TIS 17025
TESTING 0417

LABORATORY ACCREDITATION
BLA-DSS

TESTING
No.0125

TEST REPORT

The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

Number: BKKH19005611

Applicant: THE CENTURY PLASTIC CO., LTD.
43 MOO 14 SUKSAWAD RD. (BANGKRU),
PHRAPRADENG, SAMUTPRAKARN 10130
ATTN: K.PIYATHIDA

Date: May 14, 2019

Sample Submitted:

Quantity of sample:	7 sets
Sample description:	Green plastic
Date sample received:	May 02, 2019

Client Information:

Sample Name:	BUCKET & TANK
Item Ref.:	26gl GREEN

****

Tests conducted:

As requested by the applicant, for details please refer to attached page(s)

****

For and on behalf of :
Intertek Testing Services (Thailand) Ltd.,
Hardlines Laboratory

Ladtaka Wongwiboonporn
Laboratory Manager
Hardlines Department

Intertek Testing Services (Thailand) Ltd. 1285/5 Prachachuen Road, Wong-Sawang, Bangsue, Bangkok 10800 Thailand
Tel + 662 765 2999
Fax + 662 765 2936
www.intertek.com

TEST REPORT

The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

NSC-TISI-TIS 17025
TESTING 0417

LABORATORY ACCREDITATION
BLA-DSS

TESTING
No.0125

Number: BKKH19005611

Conclusion:

The Notification of the Ministry of Public Health (No.295) B.E.2548 (2005), qualities or standard for container made from plastic:

Type of material: Polyethylene

Tested sample	Test item	Result
Submitted sample	Material Test	Pass
	Migration Test	Pass
	Migration of color extraction Test	Pass
	Microbiological Test	Pass

****

Intertek Testing Services (Thailand) Ltd. 1285/5 Prachachuen Road, Wong-Sawang, Bangsue, Bangkok 10800 Thailand
Tel + 662 765 2999
Fax + 662 765 2936
www.intertek.com

TEST REPORT

The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

NSC-TISI-TIS 17025
TESTING 0417

LABORATORY ACCREDITATION
BLA-DSS

TESTING
No.0125

Number: BKKH19005611

Test conducted:

Test results

The Notification of the Ministry of Public Health (No.295) B.E.2548 (2005), qualities or standard for container made from plastic:

Type of Material: Polyethylene

Material Test

Test Method: With reference to JETRO (2008) part II and TIS 656-2556

Test item	Result (mg/kg)	LOD(mg/kg)	LOQ(mg/kg)	Limit (mg/kg)
Cadmium content[1]	ND	0.1	2	≤100
Lead content[1]	ND	0.5	2	≤100

Migration Test

Test Method: With reference to JETRO (2008) part II and TIS 656-2556

Test item	Test condition	Result (mg/dm^3)	LOD (mg/dm^3)	LOQ (mg/dm^3)	Limit (mg/dm^3)
Heavy metal(calculated as lead) in 4% acetic acid extraction[1]	95 degree C for 30 minute	<1	-	1	≤1
Potassium permanganate used for reaction in water extraction[1]	95 degree C for 30 minute	6	0.2	1	≤10
Residues substances which is evaporated in water[1]	95 degree C for 30 minute	<5	1	5	≤30
Residues substances which is evaporated in 4% acetic acid[1]	95 degree C for 30 minute	<5	1	5	≤30
Residues substances which is evaporated in 20% alcohol[1]	95 degree C for 30 minute	<5	1	5	≤30
Residues substances from volatile matter in normal Heptane[1]	25 degree C for 60 minute	6	1	5	≤30

****

Intertek Testing Services (Thailand) Ltd. 1285/5 Prachachuen Road, Wong-Sawang, Bangsue, Bangkok 10800 Thailand
Tel + 662 765 2999
Fax + 662 765 2936
www.intertek.com

TEST REPORT

The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

NSC-TISI-TIS 17025
TESTING 0417

LABORATORY ACCREDITATION
BLA-DSS

TESTING
No.0125

Number: BKKH19005611

Test conducted:

Migration of color extraction

Test Method: With reference to JETRO (2008)

Test item	Test condition	Result	Limit
Migration of color extraction in water extraction▲	95 degree C for 30 minute	Negative	Negative
Migration of color extraction in 4% acetic acid▲	95 degree C for 30 minute	Negative	Negative
Migration of color extraction in 20% alcohol▲	95 degree C for 30 minute	Negative	Negative
Migration of color extraction in normal Heptane▲	25 degree C for 60 minute	Negative	Negative

****

Intertek Testing Services (Thailand) Ltd.
1285/5 Prachachuen Road,
Wong-Sawang, Bangsue,
Bangkok 10800 Thailand
Tel + 662 765 2999
Fax + 662 765 2936
www.intertek.com

TEST REPORT

The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

Number: BKKH19005611

Test conducted:

Microbiological Test

Test item	Result	Limit	Test method
Clostridium perfringens[2], /Piece	Not detected	Not detected	Compendium of Method for the Microbiological Examination of Food, 5th ed., 2015, chapter 3 item 3.72, 3.81 and chapter 33
Salmonella spp.[2], / Piece	Not detected	Not detected	Compendium of Method for the Microbiological Examination of Food, 5th ed., 2015, chapter 3 item 3.72, 3.81 and chapter 36
Staphylococcus aureus[2], / Piece	Not detected	Not detected	Compendium of Method for the Microbiological Examination of Food, 5th ed., 2015, chapter 3 item 3.72, 3.81 and chapter 39
Escherichia coli[2], / Piece	Not detected	Not detected	Compendium of Method for the Microbiological Examination of Food, 5th ed., 2015, chapter 3 item 3.72, 3.81 and chapter 9
Bacillus cereus[2], / Piece	Not detected	Not detected	Compendium of Method for the Microbiological Examination of Food, 5th ed., 2015, chapter 3 item 3.72, 3.81 and chapter 31

****

Intertek Testing Services (Thailand) Ltd.
1285/5 Prachachuen Road,
Wong-Sawang, Bangsue,
Bangkok 10800 Thailand
Tel + 662 765 2999
Fax + 662 765 2936
www.intertek.com

TEST REPORT

The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

NSC-TISI-TIS 17025
TESTING 0417

LABORATORY ACCREDITATION
BLA-DSS

TESTING
No.0125

Number: BKKH19005611

Test conducted:

Remark:	mg/kg	=	Milligram per kilogram
	mg/dm^3	=	Milligram per 1 cube decimeter of reagent = mg/l
	<	=	Less than
	≤	=	Less than or equal
	ND	=	Not detected (less than LOD)
	LOD	=	Limit of detection
	LOQ	=	Limit of quantitation
	▲	=	Tested items are not included in the DSS Accreditation and TISI Accreditation
	1	=	Tested items are Accreditation by TISI
	2	=	Tested items are Accreditation by DSS

Testing period: May 02, 2019 to May 14, 2019

********** E N D **********/WK/JP/NK

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: http://www.intertek.com/terms/. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.
This report shall not be reproduced, except in full.

Intertek Testing Services (Thailand) Ltd.
1285/5 Prachachuen Road,
Wong-Sawang, Bangsue,
Bangkok 10800 Thailand
Tel + 662 765 2999
Fax + 662 765 2936
www.intertek.com